

UNITED

LABORATORIES

USES:

A strong, easy to use translucent adhesive to be used for general purpose bonding of materials. This adhesive works extremely well in bonding cardboard, cloth, wood, foam, carpeting, upholstery and plastic. Produces water-tight bonds with high solids content. Fast setting.

DIRECTIONS FOR USE:

Shake before using. Works best at room temperatures. Spray an even coat from a distance of 6 inches. Do not concentrate spray in one spot.

PERMANENT BONDS: Spray both surfaces, allow one to two minutes for tack to develop, then bond with firm pressure.

TEMPORARY BONDS: Apply a light, even spray to one surface only, allow tack to develop, then bond with firm pressure.

CLEANING SPRAY TIP: Due to the high solids nature of the adhesive spray, some adhesive build-up will occur at the orifice of the tip. When residue is fresh it is readily removed by wiping with a tissue. If build-up has dried, remove with degreasing solvents.

IMPORTANT: When finished spraying, turn can upside down and spray for 2 seconds. This will keep valve from clogging up.

Highly Concentrated and Not Intended for Consumer Household Use

VOC Category: Web Spray Adhesive VOC Limit: Meets the VOC Standard of 55% by weight.

DANGER:

Contains Acetone (CAS # 67-64-1), n-Hexane (CAS # 110-54-3), Methyl Acetate (CAS # 79-20-9) and Liquefied Petroleum Gas (CAS # 68476-86-8).

HMIS® III CODE 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX Gloves and Goggles	HEALTH	1
	FLAMMABILITY	4
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	n&p



Manufactured and Printed in U.S.A. 513

United 125

ALL STIK Waterproof Heavy Duty Adhesive Spray

Industrial Grade...For Permanent
or Temporary Bonds
Contains No Chlorinated Solvents

KEEP OUT OF REACH OF CHILDREN.

DANGER

HARMFUL OR FATAL IF SWALLOWED.

FLAMMABLE.

EYE AND SKIN IRRITANT.

CONTENTS UNDER PRESSURE.

SEE ADDITIONAL CAUTIONS
ON BACK PANEL.

Net Wt. 12 oz. (340 grams)

PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Sold By:

UNITED LABORATORIES, INC.

320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

United 125 ALL STIK

UNITED LABORATORIES OF CANADA, INC.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.

Un MSDS ce produit absenter disponible un site un Internet www.unitedlabsinc.com, fournir 24 heures accès. Ai lu s'il vous plaît le MSDS et soigneusement ensuis de toutes instructions quand utiliser ou manipuler ce produit.



Compressed gas. Flammable aerosol. May cause chronic toxic effects. Eye irritant. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children. Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

FIRST AID MEASURES: EYES: Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately. **SKIN:** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. **INHALATION:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately. **INGESTION:** Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

READ MATERIAL SAFETY DATA SHEET BEFORE USING PRODUCT

Gaz comprimés. Aérosol inflammable. Il peut causer des effets toxiques chroniques. Irritant pour les yeux. Conserver à l'écart de toutes sources d'ignition. Ne pas fumer. Éviter le contact avec les yeux et la peau. Porter des gants en caoutchouc et des lunettes de sécurité pourvues de protections latérales. Tenir hors de la portée des enfants. La mauvaise utilisation intentionnelle, comme la concentration et inhalation délibérée du contenu, peut être dangereuse ou mortelle.

PROCÉDÉS DE PREMIERS SOINS: YEUX: Rincer immédiatement à grande eau froide. Enlever les verres de contact, le cas échéant, et continuer à rincer pendant 15 minutes. Obtenir immédiatement de l'attention médicale. **PEAU:** Rincer à grande eau froide. Laver à l'eau et au savon. Obtenir de l'attention médicale si l'irritation persiste.

INHALATION: En cas de symptômes, placer la victime à l'air frais. Si les symptômes persistent, obtenir de l'attention médicale. Si la victime ne respire pas du personnel qualifié devrait immédiatement commencer la réanimation cardio-pulmonaire. **INGESTION:** Ne pas faire vomir. Ne jamais rien faire boire ou avaler à une victime inconsciente, ou si la victime a des convulsions. Appeler un médecin.

LIRE LA FICHE SIGNALÉTIQUE AVANT D'UTILISER CE PRODUIT