LABORATORIES

United 246 SUPER GEL Tar Remover is a revolutionary new gelled product for removing tar, asphalt, road oil and grease from road equipment, vehicles, storage tanks and machinery.

Brush or spray on undiluted United 246 SUPER GEL Tar Remover to the surface and allow a minimum contact time of 10 to 15 minutes. Hose away with water after it has dissolved the tar and other soil. For lighter build-up, United 246 SUPER GEL Tar Remover may be used diluted. Dilute slightly and keep increasing until the effective strength is reached.

If used according to directions United 246 SUPER GEL Tar Remover will not streak painted surfaces in good condition.

Very heavy encrustations may require a second application.

United 246

# SUPER GEL **Tar Remover**

# KEEP OUT OF REACH OF CHILDREN. **CAUTION**

HARMFUL IF SWALLOWED. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By: UNITED LABORATORIES, INC. 320 37th Avenue • St. Charles, IL 60174 1-800-323-2594 • www.unitedlabsinc.com

### **CAUTION:**

Contains Pine Oil (CAS # 8002-09-3) and d-1,8(9)-p-menthadiene (CAS # 5989-27-5). Can cause eye or skin irritation. Harmful if swallowed.

## **EMERGENCY AND** FIRST AID PROCEDURES:

**EYES:** Flush with plenty of cool water for at least 15 minutes and call a physician or poison center immediately.

SKIN: Wash with soap and water. If irritation persists, call a physician or poison center.

**INHALATION:** Remove to fresh gir. If irritation persists, call a physician or poison center.

**INGESTION:** Do not induce vomiting. Drink large amounts of cold water to dilute and call a physician immediately. Never give anything by mouth to an unconscious person.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

HMIS® III CODE: 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX: Gloves and Goggles	HEALTH	1
	FLAMMABILITY	0
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	n&p