

UNITED

LABORATORIES

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

United 309 MICROBIOCIDE For Cooling Towers And Air Washers is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers** in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 12.0 to 17.9 fl. oz. of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers** per 1000 gal. of water to provide 100 to 150 ppm of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers**, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 6.0 to 17.9 fl. oz. of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers** per 1000 gal. of water (50 to 150 ppm **United 309 MICROBIOCIDE For Cooling Towers And Air Washers**) every 2 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

United 309 MICROBIOCIDE For Cooling Towers And Air Washers is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 28.1 to 35.9 fl. oz. of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers** per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 21.0 to 35.9 fl. oz. of **United 309 MICROBIOCIDE For Cooling Towers And Air Washers** per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

United 309

MICROBIOCIDE

For Cooling Towers And Air Washers

ACTIVE INGREDIENTS:

Potassium dimethyldithiocarbamate..... 10.0%
 INERT INGREDIENTS 90.0%
 TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

| | |
|----------------------------|---|
| If in Eyes | - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice. |
| If on Skin, Clothes | - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice. |
| If Swallowed | - Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person. |
| If Inhaled | - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice. |

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.
 You may also contact 1-800-535-5053 for emergency medical treatment information

NOTE TO PHYSICIAN

Probable mucousal damage may contraindicate the use of gastric lavage.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional office of guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Sold By:

UNITED LABORATORIES, INC.
 320 37th Avenue • St. Charles, IL 60174
 1-800-323-2594 • www.unitedlabsinc.com

E.P.A. Reg. No. 1448-283-9250

E.P.A. Est. No. 9250-IL-01

Product Weight: 8.68 lbs./gal. (1.03 kg/l)

NET CONTENTS: _____

HMS/NPCA RATING

Health 3 Flammability 1 Reactivity 1
 Last Revision 7/14/2011