

UNITED

LABORATORIES

United 157 FLASH IN A CAN is a quick-flashing solvent that's *SUPER*...

- **SUPER STRONG** – It flushes away the most difficult types of soils—grease, oil and other petro-based soils—without scrubbing, scouring or agitation.
- **SUPER FAST** – It quickly melts away the tough stuff and dries in seconds. Equipment can be put back into service right away without rinsing. No dry time required.
- **SUPER CLEAN** – It evaporates quickly without leaving behind a film or residue. Surfaces are immediately ready for use, painting or assembly.

Use **FLASH IN A CAN** to remove oils, grease, grime and other oil-based contaminants from glass or metal parts and surfaces such as machinery, power tools, farm equipment, cutting tools and construction equipment. The non-corrosive formula will not harm metal surfaces.

This product should not be used on plastic, rubber, polycarbonate and like surfaces.

- Contains no 1,1,1 – trichloroethane, toluene, methylene chloride or other chlorinated solvents.
- Contains no CFCs.
- Contains no ozone depleting chemicals.

DIRECTIONS FOR USE:

Read entire label before use and follow all directions. Use in well ventilated areas. Shake well before using. Hold can 8-12 inches away from the surface being degreased. Spray the parts and surfaces to be degreased. For hard to reach areas, insert the extension tube into the spray tip. Repeat as necessary. Air or towel dry with a clean cloth.

Note: For painted surfaces, always test in an inconspicuous area before use.

FOR INDUSTRIAL USE ONLY.

United 157

FLASH IN A CAN Super Solvent

**KEEP OUT OF REACH OF CHILDREN.
DANGER
EXTREMELY FLAMMABLE.
MAY CAUSE EYE AND
RESPIRATORY TRACT IRRITATION.
CONTENTS UNDER PRESSURE.
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**

NET WT. 14 oz. (397 g)

PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

CAUTION: Prolonged or repeated contact can result in defatting and drying of the skin. Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful. Do not get this material in contact with eyes or skin. Keep away from heat, sparks, and flames. Do not puncture, incinerate or crush. Do not expose to heat or store at temperatures above 120°F (49°C) as container may burst. Avoid prolonged exposure to sunlight. Use with adequate ventilation.

EMERGENCY AND FIRST AID PROCEDURES

EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and continue rinsing. If irritation develops and persists get medical attention.

SKIN: Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. If irritation develops or persists get medical attention.

INHALATION: Remove to fresh air. If symptoms develop or persist, seek immediate medical attention. If breathing is difficult oxygen may be necessary.

INGESTION: In the unlikely event of swallowing contact a physician or poison control center. DO NOT induce vomiting unless directed by poison control center. Do not use mouth-to-mouth method if victim ingested the substance. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

KEEP OUT OF REACH OF CHILDREN.

CONTAINS (CAS #): Acetone (67-64-1), Aliphatic Petroleum Solvent (64742-89-8) and Carbon Dioxide (124-38-9).

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.

HMIS® III CODE 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX Glasses, Gloves and Consult Your Supervisor	HEALTH	*1
	FLAMMABILITY	3
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	p & n & X

* = CHRONIC