



MATERIAL SAFETY DATA SHEET

320 37th Avenue, St. Charles, Illinois 60174
www.unitedlabsinc.com . www.unitedlabsinc.ca

To Reorder Call:
800-323-2594

1. PRODUCT AND COMPANY IDENTIFICATION

FOR MEDICAL AND TRANSPORTATION EMERGENCIES
24 Hour INFOTRAC (US and CANADA): **800-535-5053**

PRODUCT NAME
UNITED 185 FRESH BURST

USE/DESCRIPTION
Metered Air Freshener

REVISION DATE
March 13, 2012

HMIS III HEALTH (0 = Maximum Safety) 1

Always follow Label Directions and Cautions.

* Chronic	2 Moderate
4 Severe	1 Slight
3 Serious	0 Minimal

See Hazards Identification Section of this MSDS for more detailed information.

PHYSICAL HAZARD (0 = Maximum Safety) 0

Susceptible to Release of Energy.

4 May detonate-vacate area if materials are exposed to fire. 3 Strong shock of heat may detonate-use monitors from behind explosion resistant barriers.	2 Violent chemical change possible-use hose stream from distance 1 Unstable if heated-use precaution. 0 Normally stable.
--	--

FLAMMABILITY (0 = Maximum Safety) 3

Susceptibility of Material to Burning.

4 Extremely flammable.	1 Must be preheated
3 Ignites at normal temperature.	to burn.
2 Ignites when moderately heated.	0 Will not burn.

PERSONAL PROTECTION:

NONE

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS#	%Range	ACGIH (TLV-TWA)	OSHA (PEL-TWA)	LD50 (Species/Route)	LC50 (Species)
Acetone	67-64-1	30-60	750 ppm	750 ppm	>9750 mg/kg (Rat/Oral)	>16,000 ppm 4hr(Rat-Inhal)
Propane	74-98-6	15-40	1000 ppm	1000 ppm	NE	NE
Diethylene glycol ethyl ether	111-90-0	10-20	NE	NE	6500 mg/kg (Rat/oral)	NE
Fragrance	Proprietary	4-12	NE	NE	NE	NE

3. HAZARDS IDENTIFICATION

Eyes: May cause irritation.

Skin: Prolonged or repeated contact may cause mild to moderate irritation.

Inhalation: High vapor concentrations may cause respiratory irritation. Propellant is a simple Asphyxiant.

Ingestion: May cause headache, gastrointestinal disturbances, nausea, vomiting, and weakness.

4. FIRST AID MEASURES

Eyes: Flush immediately with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.

Skin: Wash thoroughly with soap and water. Get medical attention if irritation persists.

Inhalation: Remove to fresh air if overcome by vapors.

Ingestion: DO NOT induce vomiting. Aspiration hazard. Call a physician immediately.

5. FIRE FIGHTING MEASURES

Flash Point (TCC): -0.4°F/-18°C lowest known value is acetone **Explosive Limits:** Lower (LEL): 1.2 Upper (UEL): 23.5

Flame Projection (Aerosol): Flammable spray per 16 CFR 1500.3 and 1500.45. 15 – 45 cm

Hazardous Products of Combustion: When strongly heated, as in a fire, this product may produce hydrocarbon fumes and smoke. Carbon monoxide where combustion is incomplete.

Fire and Explosion Hazards: Aerosol container (pressurized) may burst if heated over 120°F/48°C.

Extinguishing Media: Water, Carbon Dioxide, Dry Chemical, and Foam.

Fire Fighting Instructions: Wear self-contained breathing apparatus w/full protective clothing in chemical fires. Cool fire exposed containers to prevent rupturing.

6. ACCIDENTAL RELEASE MEASURES

Small Spills: If can is punctured or leaking, soak up liquid with an absorbent material such as inert absorbent material, and non-sparking tools. Dispose of in trash.

Large Spills: If can is punctured or leaking, soak up liquid with an absorbent material such as inert absorbent material, and non-sparking tools. Dispose of in trash. Prevent run-off to sewer.

7. HANDLING AND STORAGE

Do not expose to temperatures exceeding 120°F/48°C. Store in a cool well-ventilated area, away from sources of ignition. Keep away from heat, sparks, and open flames. Wash hands before eating or smoking after using aerosol. NFPA Code 30B Rating: Level 3 Aerosol. NFPA Code 30B: Level 3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Not normally required.

Skin: Not normally required.

Respiratory: Not normally required. If TLV is exceeded, use a NIOSH/MSHA approved self-contained breathing apparatus respirator.

Engineering Controls: Not normally required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: ND **Specific Gravity:** NA **Vapor Pressure:** 80-90 psig @ 58°F/20°C **Melting Point:** ND
Vapor Density: > 1 (air=1) **Evaporation Rate:** > 1 **Solubility in Water:** Miscible **pH:** N/A
Appearance and Odor: Aerosol; clear liquid spritz available in 5 scents: Linen, Orchard Blossom, Mango, Citrus, and Mulberry.

10. STABILITY AND REACTIVITY

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: When strongly heated, as in a fire, this product may produce hydrocarbon fumes and smoke. Carbon monoxide where combustion is incomplete.

Chemical Stability: Stable

Incompatibility: Avoid contact with strong oxidizing agent.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity (NTP/IARC/OSHA): None

California Proposition 65: Does this product contain chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm? None

12. ECOLOGICAL INFORMATION

ND

13. DISPOSAL CONSIDERATIONS

Consult your local, state, provincial and federal regulations for proper disposal guidelines. Do not puncture or incinerate containers. Disposal regulations may be different for each state and/or locality.

14. TRANSPORT INFORMATION

DOT: Available upon request

TDG: Available upon request

UN: Available upon request

15. REGULATORY INFORMATION

VOC (Volatile Organic Compounds): <98% by wt all scents

TSCA (Toxic Substances Control Act): Listed

SARA Title III Section 302 EHS: ND

SARA Title III Section 311/312: ND

SARA Title III Section 313 Toxic Chemicals: None

WHMIS Classification:

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations/ WHMIS) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Read and follow all label directions and precautions before using this product. These products are intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF REACH OF CHILDREN.

UNITED 185 FRESH BURST

PREPARED BY: Sandy Kopacz