



UNITED

LABORATORIES

- Organic digestion benefits ALL systems.
- Facultative *Bacillus subtilis* bacteria adapt to aerobic and anaerobic conditions.
- Powerful deodorant gives instant odor control.

United 755 LIQUID IMPACT is a uniquely cultured bacterium plus a strong deodorant that digests and liquifies organic waste, paper, detergent, grease, hair, fat and other wastes, while freeing drains, pipes and grease traps. It restores normal biological activity to septic tanks and sewage treatment plants.

Once the **United 755** bacteria are established in a sanitary system, they will clean and purge the system of organic debris and continue to keep it clean as long as the product is used, thus providing a safe and trouble-free waste disposal system.

**DIRECTIONS FOR USE:
SHAKE WELL BEFORE USING.**

DRAINS AND DOWN LINES: Add **United 755** as listed below. Start on the lowest floor and work up at the rate of one floor per day. Do not treat the same floor twice. When the top floor is reached, continue treatment for the top floor only. **United 755** has a tendency to settle, therefore, stir or mix before pouring.

| Pipe Size | Dosage | Frequency |
|-----------|--------------------------|------------------|
| 2-4 in. | 4-8 oz. (125 – 250 mL) | 2-4 times weekly |
| 6-10 in. | 12-16 oz. (350 – 500 mL) | 2-4 times weekly |

United 755 LIQUID IMPACT should be used after the use of **BIATRON** or other sulfuric acid type drain openers (flush system completely) to:

1. Activate the natural digestive process to prevent future clogging.
2. Counteract residual odors.

GREASE TRAPS: Feed one quart (litre) for every 500 gallons of grease trap capacity. For example a 100 gallon grease trap would require 0.2 quarts (6.4 oz.) of product per day.

United 755 is most effective when added at night or when the trap is least used.

Add the product to a pipe or drain leading into the trap. The injection point should be no further than fifteen feet from the trap.

United 755

Liquid IMPACT

Living Bacteria

With Instant Odor Control

NON-ACID • NON-CAUSTIC • NON-TOXIC

KEEP OUT OF REACH OF CHILDREN.
CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

DIRECTIONS FOR USE: (continued)

SEPTIC TANKS: Add 1 pint (.5 L) per 25 cubic feet (.71m³) capacity for the initial treatment. Thereafter, use 8 ounces (237 mL) per week. This should be poured directly into toilet and flushed. If septic tank has become clogged or odorous, add 1 gallon (4 litres) of product directly to the tank through the manhole.

MARINAS AND CAMPSITES: Add 2 ounces (59 mL) per gallon (4 litres) of water in holding tank of boat or RV. Thereafter use 1 ounce (30 mL per 50 gallons (200 litres) of tank capacity. Then use 1 pint (.5 L) per week for maintenance.

PORTA TOILETS: Add 1 gallon (4 litres) directly to toilet. Cover the solids with water to aid digestion.

CAUTION: Wash hands thoroughly after using. Do not take internally. Avoid getting in eyes or open wounds. Keep out of sunlight. Avoid exposure to extremely hot or boiling water, disinfectants or chlorine compounds.

EMERGENCY AND FIRST AID PROCEDURES

EYES: Immediately flush with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN: Wash with soap and plenty of water. If symptoms develop, seek medical attention.

INHALATION: Remove to fresh air. If symptoms develop, seek medical attention. If not breathing, give artificial respiration.

INGESTION: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, give two glasses of water to dilute. Get medical attention immediately.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely result.

| | | |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------|---|
| HMS® III CODE: 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX: Glasses | HEALTH | 0 |
| | FLAMMABILITY | 0 |
| | PHYSICAL HAZARD | 0 |
| | PERSONAL PROTECTION | A |