

# UNITED

LABORATORIES

## STAIN REMOVER FOR:

- Lipstick
- Crayon
- Ball-point inks
- Marker ink
- Mimeo inks
- Fingerprints
- Stencil ink
- Pencil
- Spray paint
- Scuff marks
- Wax build-up
- Scotch tape marks

## USE ON:

- Washroom walls
- Public buildings
- Road signs
- Railroad property
- Automobiles
- Sidewalks
- Fences
- Bowling equipment
- Buses
- Trucks

## DIRECTIONS FOR USE:

Spray onto marks. Wait 5-10 minutes. Remove with clean cloth. If stubborn, repeat application. If accumulation is heavy, remove with spatula, then re-spray. If extreme stubbornness is encountered, use stiff bristle brush and work into the stain. Spray on again—wipe off again. Use clean brush or cloth.

**This product may be used on many surfaces:** fiberglass, brick, concrete, marble, ceramic tile, aluminum, steel, brass, glass, chrome, enamels, varnishes, porcelain and Formica. Care should be exercised when used on synthetic surfaces which are susceptible to solvent damage (asphalt, tile, rubber, some paints and some plastics.) Pre-test in hidden area if uncertain.

**For food plant use:** Not for use on food contact surfaces. Avoid food contamination during application and storage.

## DANGER

**Contains:** Toluene (CAS # 108-88-3), Ethanol (CAS # 64-17-5), Ethylene Glycol Monobutyl Ether (CAS # 111-76-2), Diethylene Glycol Monobutyl Ether (CAS # 111-90-0), Propane (CAS # 74-98-6), Isobutane (CAS # 75-28-5), n-Butyl Acetate (CAS # 123-86-4) and N-Methyl-2-Pyrrolidone (CAS # 872-50-4).

## ONLY FOR SALE FOR USE AND STORAGE BY SERVICEPERSONS.

HMIS® CODE 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE	HEALTH	3
	FLAMMABILITY	3
PERSONAL PROTECTION INDEX Glasses and Gloves	REACTIVITY	0
	PERSONAL PROTECTION	B

Manufactured and Printed in U.S.A.

809

## United 126

# Vandalism Mark Remover

KEEP OUT OF REACH OF CHILDREN.

**DANGER**  
**EXTREMELY FLAMMABLE.**  
**HARMFUL OR FATAL IF SWALLOWED.**  
**VAPOR HARMFUL.**

**CONTENTS UNDER PRESSURE.**

**SEE LEFT SIDE PANEL FOR ADDITIONAL CAUTIONS.**

SHAKE WELL

*GELLED FORMULATION*  
*WILL NOT RUN OFF!*

**NET WEIGHT: 16 oz. (454 g)**

*PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.*

Sold By:

**UNITED LABORATORIES, INC.**  
320 37th Avenue • St. Charles, IL 60174  
1-800-323-2594 • www.unitedlabsinc.com

## United 126 Vandalism Mark Remover UNITED LABORATORIES OF CANADA, INC.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.

Un MSDS ce produit absenter disponible un site un Internet www.unitedlabsinc.com, fournir 24 heures accès. Ai lu s'il vous plait le MSDS et soigneusement ensuis de toutes instructions quand utiliser ou manipuler ce produit.



**DANGER!** This product is a flammable aerosol; it may explode if heated. Contents are under pressure. Product may catch fire in use.

Contents may cause irritation and burns to the eyes or skin. Harmful if inhaled. Harmful or fatal if swallowed. Chronic overexposure may cause serious damage to health.

**PRECAUTIONS:** Avoid contact with eyes, skin and clothing. Wear safety goggles and gloves when handling or using this product. Wash thoroughly after handling. Do not ingest. Keep away from heat, open flames or other sources of ignition. Provide adequate ventilation. Do not puncture or incinerate this container, even when empty. Do not store at temperatures over 49°C (120°F).

**FIRST AID MEASURES:** **EYES:** Flush with water for at least 15 minutes and call a physician immediately. **SKIN:** Wash with soap and water. If irritation persists, call a physician. **IF INHALED:** Remove to fresh air; apply artificial respiration if needed and call a physician. **IF SWALLOWED:** Rinse mouth out with water. DO NOT INDUCE VOMITING. Call a physician or poison center immediately.

**DANGER!** Ce produit est un aerosol inflammable; il peut exploser s'il est chauffé. Le contenu est sous pression. Peut s'enflammer pendant l'usage. Le contenu peut causer de l'irritation et des brûlures pour les yeux ou la peau. Nocif s'il est inhalé. Nocif ou fatal en cas d'ingestion. La surexposition chronique peut causer des dommages sérieux à la santé.

**PRÉCAUTIONS:** Éviter tout contact avec les yeux, la peau et les vêtements. Utiliser des gants, des lunettes protectrices pendant l'usage ou la manipulation de ce produit. Bien se laver après la manipulation. N'ingérer pas. Conserver à l'abri de la chaleur, des flammes nues ou autres sources d'inflammation. Pourvoir une ventilation adéquate. Ne perforer et n'incinérer pas ce contenant, même lorsqu'il est vide. Ne garder pas à des températures excédant 49°C (120°F).

**PROCEDES DE PREMIERS SOINS: POUR LES YEUX:** Laver à grande eau pendant au moins et 15 minutes. Appeler un médecin immédiatement. **POUR LA PEAU:** Laver avec du savon et de l'eau. Si l'irritation persister, appeler un médecin. **EN CAS D'INHALATION:** Emmener au grand air; administrer la respiration artificielle au besoin et appeler un médecin. **EN CAS D'INGESTION:** Rincer la bouche avec de l'eau — NE PAS PROVOQUER LE VOMISSEMENT. Appeler un médecin ou un Centre d'information sur l'empoisonnement immédiatement.