LABORATORIES

United 688

- Specialized descaler for porcelain fixtures, brick walls, and metal surfaces.
- Removes spotting, dullness and discoloration caused by heavy silica scale build-up.
- Attacks lime, rust and other tough mineral deposits.

DIRECTIONS:

TOILETS AND URINALS: DO NOT SPRAY THIS PRODUCT. Always wear gloves when handling this product. Use only on stains not removable by other means. Place United 688 on bowl mop and apply to affected areas. Do NOT apply directly to surfaces. Let stand for one minute. Agitate with bowl mop and rinse thoroughly, including adjacent areas. Heavy accumulations may require second application. Wash hands and arms with soap and water after using, even though gloves were worn.

DO NOT USE UNITED 688 HOT SHOT IN ANY MANNER, OR ON ANY SURFACE, EXCEPT AS SHOWN IN THE DIRECTIONS FOR THIS PRODUCT. DO NOT MIX WITH BLEACH, OTHER CLEANERS OR DRAIN OPENERS. WEAR RUBBER GLOVES.

HMIS® III CODE: 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX: Gloves and Goggles	HEALTH	3
	FLAMMABILITY	0
	PHYSICAL HAZARD	1
	PERSONAL PROTECTION	p&n

HOT SHOT

Heavy Duty Descaler/Renovator

KEEP OUT OF REACH OF CHILDREN. **№ DANGER-POISON №**




PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By: UNITED LABORATORIES, INC. 320 37th Avenue • St. Charles, IL 60174 1-800-323-2594 • www.unitedlabsinc.com

A DANGER - POISON



EMERGENCY AND FIRST AID PRODEDURES:

EYES: Flush thoroughly with boric acid followed by cold water for 15 minutes. Hold eyelids open to ensure thorough rinsing. Call a physician or poison center immediately.

SKIN: Wash all exposed areas copiously with cold water. Alkaline soap may be used. If irritation develops, call a physician or poison center.

IF INHALED: Remove to fresh air; if breathing is difficult, have a trained person administer oxygen. Get medical attention immediately. If breathing stops, give CPR.

IF SWALLOWED: DO NOT induce vomiting. Call a physician or poison center IMMEDIATELY. NOTE TO PHYSICIAN: Unless vomiting has been extensive, perform gentle gastric lavage with lime water or 1% solution calcium chloride or milk. Then give lime water or aluminum hydroxide gel orally at frequent intervals.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.