

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not apply directly to water. This product is extremely toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

FIRST AID

<p>If Inhaled:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>If in eyes:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>

PHYSICAL OR CHEMICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food.

This product may be used as a crack and crevice treatment or as a spot application in non-food/feed areas. All areas where insects hide or through which insects may enter should be treated.

For use in non-food/non-feed areas such as garbage rooms, lavatories, floor drains (to sewers), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in Federally Inspected Meat and Poultry Plants.

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

Do not water the treated area to the point of run off.

Do not make applications during rain.

(Continued)



CREVICE CREEPER

Foaming Residual Spray

United 172

Recommended for Household and Commercial/Industrial Use in Non-Food/Feed Areas

- Provides Quick Killing Action and Residual Control
 - Use Indoors and Outdoors
- Kills on Contact - Kills Fast • Kills Hidden Bugs
- Contains Synergized Permethrin and Tetramethrin
 - Water-Based Formula, Non-Staining
 - No Oily Residues; No Unpleasant Odor
 - Protects for up to 4 weeks

ACTIVE INGREDIENTS:

*Tetramethrin.....	0.150%
**Permethrin.....	0.375%
***Piperonyl Butoxide Technical.....	0.750%
INERT INGREDIENTS:	98.725%
TOTAL	100.000%

* 1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate.
** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 45% (+/-) cis and max. 55% (+/-) trans.
***Equivalent to min. 0.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.15% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONS.

NET WEIGHT: 18 oz. (510 g)

EPA Reg. No. 44446-64-9250 EPA Est. No. 44446-TX-1

Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

DIRECTIONS FOR USE: (Continued)

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow product to enter any drain during or after application.

General Information: This product provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include: apartment buildings, homes, hotels, hospitals, nursing homes, schools, industrial buildings, laboratories, mausoleums, private residences, utilities and the non-food/feed areas of food/feed handling establishments, and on: vessels, railcars, aircraft (cargo areas only), buses, trucks and trailers.

Surface Spray Application: Remove protective cap. Hold container upright with nozzle away from you. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area).

Crack & Crevice Injection: Remove protective cap, hold container upright and attach injection tube for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injection tip 1/2 inch into cracks, crevices, holes and other small openings where insects may be a problem. Release a one-second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or for preventative treatment, place spots approximately three feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of one linear foot per second in heavy infestations and three feet per second in light infestations. See the additional directions below for effective control of specified insects.

INDOORS: Cockroaches (including adult and immature stages of both nonresistant and organophosphate and carbamate resistant strains), Ants, Booklice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat every 4 weeks.

OUTDOORS: Ants, Cockroaches, Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic areas, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Pests on Outside Surfaces Of Buildings: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garage and refuse dumps. Repeat every 4 weeks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store near heat or open flame. Store in cool dry area away from children.

DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

INGREDIENTS (CAS#): Water (7732-18-5), Propane/n-Butane (68476-86-8), Permethrin (52645-53-1), Isoparaffinic Hydrocarbon (64742-47-8).

HMS RATINGS: HEALTH-1, FLAMMABILITY-1, REACTIVITY-1, PERSONAL-A.

Printed in U.S.A.

1011