

UNITED

LABORATORIES

First Aid

If on Skin or Clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Immediately call a physician or poison control center. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt, long pants, shoes, socks and chemical resistant gloves. Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber and Viton \geq 14 mils. For more options, follow the instructions for category E on the chemical-resistance category selection chart.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should: thoroughly wash hands with soap and water after handling this product and before eating, drinking, chewing gum, using tobacco or using the toilet; immediately remove clothing/ PPE if pesticide gets inside, then thoroughly wash and put on clean clothing; immediately remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, thoroughly wash and change into clean clothing.

Environmental Hazards

This product is highly toxic to aquatic organisms, including fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment or disposing of equipment washwater or rinsate. See *Directions for Use* for additional precautions and requirements. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain do not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

Physical or Chemical Hazards

Flammable: Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

WASP WHACKER

Long Range Wasp Jet Spray

United 173

Use this product both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on Hornet, Wasp and Yellow Jacket nests.

KILLS: Hornets, Wasps and Yellow Jackets on Contact Gives Rapid Knockdown and Kill of Hornets, Wasps and Yellow Jackets

Gives rapid contact kill and residual kill of insects returning to the treated nest

Reaches nests more than 20 feet above ground

Dielectric Breakdown Voltage: 41.0 kV by ASTM Test Method D-877-87

Active Ingredients:

Tetramethrin (CAS No. 7696-12-0)	0.200%
Sumithrin (CAS No. 26002-80-2)	0.125%
*Other Ingredients	99.675%
	100.000%

* Contains petroleum distillate

EPA Reg. No. 706-109-9250

EPA Est. 33595-MO-2

EPA Est. 33595-MO-3

EPA Est. 33595-MO-4

The Est. No. appears after the can code

Keep Out Of Reach Of Children

CAUTION

See side panel for additional Precautionary Statements

Net Wt. 14 oz. (397 grams)

Sold By:

UNITED LABORATORIES, INC.

320 37th Avenue • St. Charles, IL 60174

1-800-323-2594 • www.unitedlabsinc.com

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

When used indoors: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter the treated area until the sprays have dried. Do not allow others to enter treated areas until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait 2 hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required. Remove pets/ birds and cover fish aquariums and ornamental fish ponds before spraying, and turn off aquarium systems. Do not apply when food is present. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after bottling or canning).

When used outdoors: Do not water the treated area to the point of runoff. Do not make applications during rain. Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. All outdoor applications must be limited to only spot or crack-and-crevice treatments, except for the following permitted uses: 1) Treatment to soil or vegetation around structures; and 2) Applications to building foundations, up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to only spot and crack-and-crevice applications.

For Control of Nests of Hornets, Wasps and Yellow Jackets:

The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest; then spray the rest of the nest until saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Hose off foliage of desirable plants that are contacted with spray.

This product may stain or adversely affect vinyl, painted and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) place inaccessible to children and domestic animals. **Pesticide/Container**

Disposal: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs which deplete the ozone layer.

Federal regulations prohibit CFC propellants in aerosols.

Manufactured and Printed in U.S.A.

1013

