

# UNITED

LABORATORIES

- **Colorless, Odorless, Non-Toxic and Heat Stable**
- **No Methylene Chloride**
- **No Sticky Residue**
- **Release Agent**

This Dry Silicone Spray Food Grade is designed to lubricate equipment used in the packaging and processing industry. Leaves a non-staining dry pure silicone film to lubricate moving parts, reducing friction and wear. Product is heat stable from -35°F to 350°F. Also formulated as a release agent on seals and gaskets of tank closures. Lubricates all sliding surfaces except those you wish to paint. Excellent on RV slide outs. Use on sticking metal, wood, rubber and plastic. Apply to cutting tables, conveyors, heat sealing equipment and slicing equipment. Waterproofs leather, canvas, rubber and chrome surfaces. Safe on all plastics. Contains no methylene chloride. Won't melt, freeze, gum or become rancid.

#### DIRECTIONS FOR USE:

Read cautions and directions carefully before use. Area to be lubricated should be clean and dry. Shake well before use. Hold can 6-8 inches from surface. Spray in short bursts. Spray no more than required to lubricate surface. Do not spray electrical equipment while in use. Wait 5-10 minutes before operating electrical equipment after using. Spray is dry. Do not expect a liquid. Used as directed, it will not harm most surfaces.

#### MODO DE EMPLEO:

Lea los modos de empleo y las precauciones cuidadosamente. El área que será lubricada debe estar limpia y seca. Agítese bien antes de usar. Mantenga el bote de 6 a 8 pulgadas de la superficie. Aplique en pequeños rocíos. No aplique más de que se necesite para cubrir la superficie. No rocíe equipo eléctrico mientras está en funcionamiento. Espere de 5 a 10 minutos para volver a operar después de haber aplicado. El rocío es seco. No espere un líquido. Úsese como se indica, no daña a la mayoría de las superficies.

Printed in U.S.A.

210

## SILICONE LUBRICANT Food Grade Multi-Purpose Dry Spray

UNITED 106

KEEP OUT OF REACH OF CHILDREN.

**CAUTION/  
PRECAUCIÓN:**

CONTENTS UNDER PRESSURE.  
SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONS.  
CONTENIDO BAJO PRESIÓN  
NO SE DEJE AL ALCANCE DE LOS NIÑOS  
VEA PRECAUCIONES ADICIONALES  
EN LA PARTE TRASERA

NET WEIGHT 11.5 OZ. (326 grams)

*PRECAUCION AL USARIO: Si usted no puede leer Ingles, preguntea alguien que le traduzca esta etiqueta para usted entes de uso.*

Sold By:

**UNITED LABORATORIES, INC.**  
320 37th Avenue • St. Charles, IL 60174  
1-800-323-2594 • www.unitedlabsinc.com

#### CAUTION:

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not spray on hot surfaces. Accumulated vapor may be flammable. Contains petroleum distillate. Keep out of the reach of children.

#### PRECAUCIÓN:

Contenido bajo presión. No pinche o incinere el contenedor. No se exponga al calor o almacene a temperaturas por encima de 120°F. No se use en superficies calientes. El vapor acumulado puede ser inflamable. Contiene destilados de petróleo. No se deje al alcance de los niños.

#### CONTAINS:

Acetone (CAS# 67-64-1), Propane/n-Butane (CAS# 68476-86-8), Heptane (CAS# 142-82-5), Polydimethylsiloxane (CAS# 63148-62-9).

#### EMERGENCY AND

#### FIRST-AID PROCEDURES:

**EYES:** Flush with plenty of water for 15 minutes. If irritation persists seek a physician.

**SKIN:** Wash affected area with soap and water. If irritation persists seek a physician.

**INHALATION:** If symptoms develop, move victim to fresh air. Seek a physician if breathing trouble persists. Apply CPR if needed.

**INGESTION:** DO NOT induce vomiting. Seek medical attention.

An MSDS for this product is available through United's website, [www.unitedlabsinc.com](http://www.unitedlabsinc.com), providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.

#### HMIS® III CODE:

0=MINIMAL	HEALTH	1
1=SLIGHT	FLAMMABILITY	3
2=MODERATE	PHYSICAL HAZARD	1
3=SERIOUS	PERSONAL PROTECTION	B
4=SEVERE		

#### PERSONAL PROTECTION INDEX:

Glasses and Gloves