

UNITED

L A B O R A T O R I E S

UNITED 963 UNI-KOOL HO Semi-Synthetic Coolant is a biostable, high oil, micro-emulsion containing no biocides and offering extended coolant life. It contains no sulfonates and creates no foul odors normally associated with oil-containing coolants.

UNI-KOOL HO works on all metals including stainless steel, cast iron, aluminum and copper based alloys. **UNITED 963** is formulated to keep your machine super clean with no build-up or rust problems. Rejects tramp oil like a synthetic even though it is a high oil micro-emulsion.

UNI-KOOL HO benefits:

- Excellent tool life.
- Superb rust and corrosion protection.
- Designed for use on all metals.
- Excellent antifoam properties.
- No build-up on machines.
- Less machine cleanouts resulting in less downtime.
- Good tramp oil rejection.

RECOMMENDED COOLANT CONCENTRATION FOR USE:

Machining:	6 – 7%
Severe Machining:	8 – 10%
Grinding:	5%
Sawing:	7 – 8%

Use of a 0 to 10 refractometer is suggested to manage coolant concentration. Refractometer factor of **UNITED 963** is 1.053.

UNI-KOOL HO Semi-Synthetic Coolant

UNITED 963

KEEP OUT OF REACH OF CHILDREN.

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted entes de uso.

Sold Exclusively By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

SPILL:

In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.

HANDLING AND STORAGE:

Keep out of reach of children. Keep container tightly closed when not in use.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush with plenty of water for at least 15 minutes. If irritation occurs get medical attention.

SKIN: Immediately flush with plenty of water for at least 15 minutes. Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes before reuse. If irritation persists get medical attention.

INHALATION: Remove to fresh air immediately. Get medical attention if symptoms appear.

INGESTION: DO NOT induce vomiting. If conscious, give several glasses of water to drink. Get medical attention.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

HMIS® III CODE:

0=MINIMAL
1=SLIGHT
2=MODERATE
3=SERIOUS
4=SEVERE

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

PERSONAL PROTECTION INDEX:

Glasses and Gloves