

Large Spills: Eliminate all ignition sources and ventilate area. Dike ahead of a liquid spill. Carefully collect spilled material into enclosed containers. Soak up any excess material with absorbent pads, sand, or other inert non-combustible materials. Place into appropriate waste containers for later disposal. Wash area thoroughly. Do not let washing down municipal sewers or open bodies of water.

7. HANDLING AND STORAGE

Store in a cool, dry area away from heat, sparks, and open flame. Keep containers closed. Avoid prolonged exposure to vapors and mists. Keep away from oxidizing materials. Do not breathe vapor. Avoid spilling on skin, eye contact, or on clothing. Wash face and hands with soap and water after using this product. Launder contaminated clothing before reusing. Provide ventilation to maintain exposure potential below applicable exposure limits or use appropriate respiratory protection if limits exceeded prior to entering confined spaces.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses equipped with side shields or chemical goggles are recommended.

Skin: Impervious gloves are recommended. Protective clothing or apron is recommended.

Respiratory: None required if good ventilation is maintained. If TLV is exceeded use a NIOSH-approved organic vapor respirator. For airborne vapor concentrations that exceed the recommended protection factors for organic vapor respirators, use a full-face, positive-pressure, supplied air respirator.

Engineering Controls: Mechanical ventilation recommended when handling in enclosed/tight spaces. All electrical equipment should comply with the National Electric Code.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 300°F/149°C

Specific Gravity: 0.985 (H₂O=1)

Vapor Pressure: ND **Melting Point:** ND

Vapor Density: NA

Evaporation Rate: Nil (ether=1)

Solubility in Water: Insoluble **pH:** NA

Appearance and Odor: Dark reddish-brown liquid with sulfur scent.

10. STABILITY AND REACTIVITY

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: When strongly heated, as in a fire, this product may produce carbon dioxide, carbon monoxide, hydrogen chloride, sulfur dioxide, sulfur trioxide, and incompletely burned hydrocarbons.

Chemical Stability: Stable under normal conditions.

Incompatibility: Avoid strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity (NTP/IARC/OSHA): None

California Proposition 65: Does this product contain chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm? None

12. ECOLOGICAL INFORMATION

ND

13. DISPOSAL CONSIDERATIONS

Consult your local, state, provincial and federal regulations for proper disposal guidelines. Disposal regulations may be different for each state and/or locality. If it can be determined that the spilled material and absorbent do not meet hazardous waste criteria, disposal may not be regulated.

14. TRANSPORT INFORMATION

DOT: Available upon request

TDG: Available upon request

UN: Available upon request

15. REGULATORY INFORMATION

VOC (Volatile Organic Compounds): None

TSCA (Toxic Substances Control Act): Listed

SARA Title III Section 302 EHS: ND

SARA Title III Section 311/312: ND

SARA Title III Section 313 Toxic Chemicals: Not listed

WHMIS Classification:

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations/ WHMIS) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Read and follow all label directions and precautions before using this product. These products are intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF REACH OF CHILDREN.

UNITED 972 UNI-DRAW HD

PREPARED BY: Sandy Kopacz