# **UNITED 115**



## MATERIAL SAFETY DATA SHEET


#### 320 37th Avenue, St. Charles, Illinois 60174 www.unitedlabsinc.com . www.unitedlabsinc.ca

To Reorder Call: 800-323-2594

#### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME UNITED 115 DUST MIGHT USE/DESCRIPTION Hard Surface Polish and Duster

FOR MEDICAL AND TRANSPORTATION EMERGENCIES 24 Hour INFOTRAC (US and CANADA): 800-535-5053 **REVISION DATE** September 07, 2012



### Susceptibility of Material to Burning.

4 Extremely flammable. 1 Must be preheated 3 Ignites at normal temperature. to burn

2 Ignites when moderately heated. 0 Will not burn.

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS#	%Range	ACGIH (TLV-TWA)	OSHA (PEL-TWA)	LD50 (Species/Route)	LC50 (Species)
Food grade mineral oil	8042-47-7	10-20	5 mg/m3 *	5 mg/m3 *	NE	NE
Citrus Terpene	5989-27-5	1-10	NE	NE	NE	NE
Liquefied Petroleum Gas	68476-86-8	10-20	1000 ppm (Skin)	1000 ppm (Skin)	NE	NE

Exposure limits for mist.

#### 3. HAZARDS IDENTIFICATION

Eyes: May cause slight irritation.

Skin: Prolonged or repeated contact may cause irritation. May aggravate existing skin conditions.

Inhalation: Mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea, central nervous system effects, fibrosis, and reduced pulmonary function.

Ingestion: Minimal toxicity. May cause nausea, vomiting, and/or stomach discomfort. Possible aspiration hazard may cause inflammation of the lung which can cause chemical pneumonitis and delayed pulmonary edema.

#### 4. FIRST AID MEASURES

Eyes: Flush with plenty of water for at least 15 minutes while holding upper and lower lids open. If irritation persists call a physician immediately.

Skin: Wash with soap and water. If irritation persists call a physician.

**Inhalation:** Remove to fresh air immediately. Apply artificial respiration if necessary. Call a physician immediately. **Ingestion:** DO NOT induce vomiting. Call a physician immediately. Aspiration into lungs during vomiting may cause chemical pneumonitis. If vomiting occurs, have victim lean forward to reduce risk of aspiration.

#### 5. FIRE FIGHTING MEASURES

Flash Point (TOC): None Explosive Limits: Lower (LEL): ND Upper (UEL): ND Flame Projection (Aerosol): Flammable per 16 CFR 1500.3 and 1500.45. Hazardous Products of Combustion: When strongly heated, as in a fire, this product may produce oxides of carbon. Fire and Explosion Hazards: Aerosol container (pressurized) may burst if heated over 120°F/48°C. Extinguishing Media: Foam, Carbon dioxide, Dry media.

Fire Fighting Instructions: Wear self-contained breathing apparatus w/full protective clothing in chemical fires. Cool fire exposed containers with water to prevent pressure build up.

#### 6. ACCIDENTAL RELEASE MEASURES

**Small Spills:** Remove sources of ignition and ventilate area. Soak up with an inert absorbent and place in designated disposal container. Wash area thoroughly.

Large Spills: Remove sources of ignition and ventilate area. Soak up with an inert absorbent and place in designated disposal container. Wash area thoroughly.

#### 7. HANDLING AND STORAGE

Keep away from heat, sparks, and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not store at temperatures above 120F/48C. Store as NFPA Code 30B Rating: Level 2 Aerosol.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses or chemical splash goggles are recommended.
Skin: Chemical resistant gloves are recommended if hand contact will be made.
Respiratory: None needed for proper use in accordance with label directions.
Engineering Controls: Provide local exhaust to keep air concentrations of ingredients olisted in Section II below established exposure limits.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

 Boiling Point:
 212°F/100°C
 Specific Gravity:
 0.960 (H2O=1)
 Vapor Pressure:
 55 psig@ 72F/22C
 Melting Point:
 ND

 Vapor Density:
 > 1 (air=1)
 Evaporation Rate: ND
 Solubility in Water:
 Complete
 pH:
 11

 Appearance and Odor:
 Aerosol; White jel liquid spray with citrus scent.
 Solubility in Water:
 Complete
 pH:
 11

#### **10. STABILITY AND REACTIVITY**

Hazardous Polymerization: Will not occur. Hazardous Decomposition: When strongly heated, as in a fire, this product may produce oxides of carbon. Chemical Stability: Stable Incompatibility: Oxidizing agents such as bleach.

#### 11. TOXICOLOGICAL INFORMATION

Carcinogenicity (NTP/IARC/OSHA): None California Proposition 65: Does this product contain chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm? None

#### **12. ECOLOGICAL INFORMATION**

ND

#### **13. DISPOSAL CONSIDERATIONS**

Consult your local, state, provincial and federal regulations for proper disposal guidelines. Do not puncture or incinerate containers. Disposal regulations may be different for each state and/or locality.

#### 14. TRANSPORT INFORMATION

**DOT:** Available upon request **TDG:** Available upon request **UN:** Availabale upon request

#### **15. REGULATORY INFORMATION**

VOC (Volatile Organic Compounds): 16.0 % TSCA (Toxic Substances Control Act): Listed SARA Title III Section 302 EHS: None SARA Title III Section 311/312: ND SARA Title III Section 313 Toxic Chemicals: None

#### WHMIS Classification:

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations/ WHMIS) and the MSDS contains all the information required by the CPR.

#### **16. OTHER INFORMATION**

Read and follow all label directions and precautions before using this product. These products are intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF REACH OF CHILDREN.

#### UNITED 115 DUST MIGHT

**PREPARED BY:** Sandy Kopacz