

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist or vapor. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material.

IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

This product contains a foam which marks the spot where the weed killer has been applied.

- Shake can just before using and occasionally during use.
- Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
- Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
- Push down briefly on button. Spray to cover center of weed, do not over-spray. If the spray's foaming action will make it easy for you to see coverage.
- One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichroa, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for first aid and additional precautionary statements.

EPA REG. NO. 228-190-9250 EPA EST. NO. 10088-W-1
Net Wt. 1 Lb. 4 Oz.
Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

FIRST AID
<p>If in eyes:</p> <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
<p>If inhaled:</p> <ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
<p>Note to physician: May pose an aspiration pneumonia hazard. Contains petroleum distillates.</p>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.</p>

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not contaminate water when disposing of equipment washwaters. Do not store near fertilizers, seeds, insecticides or fungicides. Do not apply when ground is frozen. Do not apply to areas underlain by roots of desirable trees and shrubs.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All loaders, applicators, and other handlers must wear: Long-sleeved shirt and long pants, shoes and socks, and chemical-resistant gloves made of barrier laminate or vinyl.

**UNITED
LABORATORIES**

**SMART LASER
Selective Herbicide
United 144**

READY-TO-USE

**CONTROLS DANDELIONS, CLOVER, CHICKWEED AND
MANY OTHER LISTED WEEDS ON LAWNS AND
ORNAMENTAL TURF
KILLS THE WEEDS, NOT THE LAWN
KILLS BROADLEAF WEEDS DOWN THROUGH THE ROOT**

ACTIVE INGREDIENTS:

Dimethylamine Salt of
2,4-Dichlorophenoxyacetic Acid* 0.326%

Dimethylamine Salt of
(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**† 0.164%

Dimethylamine Salt of
(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***† 0.161%

OTHER INGREDIENTS: 99.342%

TOTAL: 100.000%

Isomer Specific AOAC Method, Equivalent to:
* 2,4-Dichlorophenoxyacetic Acid 0.270%, 0.023 lbs./gal.
** (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid 0.135%, 0.011 lbs./gal.
*** (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid 0.135%, 0.011 lbs./gal.

† CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for first aid and additional precautionary statements.

EPA REG. NO. 228-190-9250 EPA EST. NO. 10088-W-1
Net Wt. 1 Lb. 4 Oz.
Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

**UNITED
LABORATORIES**

WEED LASER

United 145

**Weed Killer Spray
Non-Selective Spot
Weed Killer**

ACTIVE INGREDIENTS:

2, 4-Dichlorophenoxyacetic Acid, DMA Salt 0.29%

Bromacil (5-Bromo-3-sec-butyl-6-methyluracil) 0.50%

OTHER INGREDIENTS: 99.21%

TOTAL: 100.00%

Contains Petroleum Distillates

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

**SEE ADDITIONAL PRECAUTIONARY
STATEMENTS ON BACK PANEL.**

NET WEIGHT: 16.5 oz. (468 grams)

EPA Reg. No. 44446-61-9250 EPA Est. No. 44446-TX-1

Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Antirrhoe, Aster, Austrian fieldhorse, Bedstraw, Beggarick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Britny cutanque, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffweed, Common chickweed, Common mullen, Common sowthistle, Corn chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Field dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goosebeard, Goldenrod, Ground ivy, Gumweed, Hairly bittercress, Hairly beardone, Hawkweed, Heald, Heartleaf dymony, Hedge bindweed, Hedge mustard, Hemp, Herbit, Hoary cross, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Knoch, Knowel, Chickweed, Lamb'squarter, Lespedeza, Looseweed, Lupine, Mallow, Marshelder, Matchweed, Mosaicweed, Milk vetch, Milkweed, Blackflower, Mugwort, Murringlory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycrest, Pennywort, Peppergrass, Pepperweed, Pigweed, Pinewoods bedstraw, Plains cereopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorsee, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleaved margold, Rush, Russian pigweed, Russian thistle, St. Johns-wort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallerflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishreed, Spatterdock, Speedwell, Spiny Amaranth, Spiny cocklebur, Spotted Chickweed, Spotted spurge, Spotted spurge, Spurge, Surweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry-crow, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing groundsel, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wawayleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-a-kind, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild radish, Wild raps, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morninglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require an additional treatment in 3 to 4 weeks.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

CONTAINER DISPOSAL: Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

8363.051611

Printed in U.S.A. 413

WEED LASER Weed Killer Spray

This product provides rapid knockdown and kill of most weeds and unwanted vegetation. Use around fence rows, parking lots, buildings, loading ramps, storage yards, industrial plant sites. Use to kill weeds which interfere with drainage, create a fire hazard or cause unsightly appearance. Contains a soil sterilant, which will control weeds up to one year. CAN SPRAYS UPSIDE DOWN ONLY.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General Weed Control: To control most weeds for an extended period of time on non-cropland areas, including parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 1 can per 65 sq. ft.

To control annual weeds and grasses including foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lamb'squarter and turkey mullein, apply 1 can per 65-128 sq. ft. For other hard-to-kill perennial weeds and grasses, such as Johnsongrass, saltgrass, bouncing bet, broken fern and horsetail, apply 1 can per 65 sq. ft.

Remove protective cap. Invert can and point opening in spray tip towards weeds to be sprayed. Depress the tab on the side of tip and spray weeds thoroughly. Be sure to completely wet weeds. Use in late spring when most weeds have appeared. The amount needed will depend on the area to be covered. Reapply as necessary. Frequency of application will depend on soil type, rainfall and other conditions. One can will treat approximately 90 square feet. For Annual and Perennial Weeds do not apply more than twice a year. Do not apply more than 2.0 lbs oe per acre per application. The minimum retreatment interval is 30 days. For woody plants: Do not apply more than one application per year. Do not apply more than 4.0 lbs oe per acre per year.

Entry Restrictions: Do not enter or allow people (or pets) to enter the treated area until dusts have settled. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Spray Drift Management: A variety of factors including weather conditions (e.g., wind directions, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Susceptible Plants: Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements: Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Do not use or store near heat or open flame.

Pesticide Disposal: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

CONTAINS (CAS#): Aromatic Petroleum Hydrocarbons (64742- 94-5), Propane/n-Butane (68476-86-8), Isopropyl Alcohol (67-63-0), 2,4-Dichlorophenoxyacetic Acid (94-75-7), Bromacil (314-40-9).

HMS Ratings: Health - 2, Flammability - 3, Reactivity - 1, Personal - 8

Printed in U.S.A. 411