

UNITED

LABORATORIES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Avoid inhalation of spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear; Butyl gloves, or nitrile gloves, or other gloves that glove selection charts or guidance indicate are chemical-resistant to the pesticide for the period of time required to perform the task, long-sleeved shirt and long pants, socks and shoes, protective eyewear.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to area where roots of desirable plants will come into contact, as injury may result. Avoid contamination of water used for domestic or irrigation purposes. Do not store near foodstuffs.

PHYSICAL AND CHEMICAL HAZARDS

Contains petroleum distillate. Do not store or use near heat or open flame.

United 385 Emulsifiable Vegetation Killer Concentrate

ACTIVE INGREDIENTS:

Prometon:2,4-bis(isopropylamino)-6-methoxy-s-triazine3.73%

INERT INGREDIENTS:.....96.27%

TOTAL.....100.00%

This product contains 0.3 pounds per gallon of Prometon.

Contains petroleum distillates, xylene, or xylene range aromatic solvent.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA Reg. No. 10088-55-9250 EPA Est. 10088-WI-1

NET CONTENTS: _____

Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This product is designed for non-selective weed control in non-cropland areas such as parking lots, fence rows, railroad sidings, storage yards, around buildings or industrial sites.

Mix 1 gallon of this herbicide with 10 gallons of water and apply uniformly over 1000 square feet of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained when the applications are made during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1-1/2 gallons of this product with 10 gallons of water per 1000 square feet.

For control of hard-to-kill perennial weeds and grasses such as johnsongrass, bindweed and wild carrot, use 1-1/2 to 1-2/3 gallons of this herbicide mixed with 10 gallons of water per 1000 square feet. Although this product has considerable activity through foliar contact, much of its activity is through the roots and, therefore, adequate rainfall is necessary to move the herbicide into the root zone.

For faster top kill of existing vegetation, apply product diluted with diesel oil, fuel oil or weed oil.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees, shrubs or woody ornamental plants. Only apply this herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

For all applications, do not apply more than 74 gallons of this product per acre per year.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By Storage or Disposal.

Pesticide Storage: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

0322.032310

Printed in U.S.A.

511