



# UNITED

LABORATORIES

Autos – Buses – Taxis – Trucks  
Airplanes – Store Fronts

- **Removes frost and ice fast.**
- **Opens frozen locks fast.**
- **Retards ice formation.**
- **Will not cause visual distortion.**
- **Non-Smearing.**

For use on windshields, windows, and frozen locks.

Melts ice, frost, and snow.

Push button de-icing for automobiles, trains, trucks, aircraft, buses, taxis, and store windows.

**United 104** is an excellent product for removing ice and frost from windshields, windows and locks after all night or all day parking.

#### DIRECTIONS:

1. Brush away loose snow and ice on windshield.
2. Be sure to keep can upright when spraying.
3. Spray liberally on the surface to be de-iced.

#### TO DE-ICE WINDSHIELDS:

Spray liberally and turn on windshield wipers for faster results.

#### TO DE-ICE OTHER SURFACES:

Spray liberally and rub lightly with a cloth or absorbent paper towel.

#### TO THAW A FROZEN LOCK:

Spray liberally directly into lock; wait approximately 30 seconds, then try key. Spraying door locks once a week will prevent future freezing.

#### TO PREVENT FOGGING OF INSIDE WINDOWS:

Wipe with a clean cloth dampened with product.

<b>HMIS III® CODE</b> 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE <b>PERSONAL PROTECTION INDEX</b> Glasses and Gloves	HEALTH	2
	FLAMMABILITY	3
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	B

## United 104

# Ice & Frost Melter

KEEP OUT OF REACH OF CHILDREN.

**DANGER**  **POISON**

**FLAMMABLE.**

**May be fatal or cause blindness if swallowed.**

**VAPOR HARMFUL: EYE IRRITANT**

**Contents under pressure.**

**Read cautions on side panel carefully.**

**NET WT. 13 oz. (368 grams)**

*PRECAUCION AL USUARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.*

Cannot be made non-poisonous.

Contains Methyl Alcohol (CAS# 67-56-1), Ethylene Glycol (CAS# 107-21-1), Carbon Dioxide (CAS# 124-38-9).

#### EMERGENCY AND FIRST AID PROCEDURES:

If in contact with skin, wash affected areas with soap and water. Get medical attention. Avoid eye contact. If in contact, flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Avoid breathing vapors or particles in the air. Give artificial respiration or oxygen if overcome by vapor. If swallowed, induce vomiting immediately as directed by medical personnel. Get medical attention immediately. Intentional misuse by deliberately inhaling contents can be harmful or fatal.

#### DANGER:

Flammable. Do not spray near sparks, heat, or open flame. Keep area ventilated during use and until all vapors are gone. **DO NOT SMOKE**-Extinguish all flames, pilot lights and heaters. Turn off stoves, electronic tools and appliances, and any other sources of ignition.

Do not puncture, incinerate or store above 120° F. Exposure to heat or prolonged exposure to sun may cause violent bursting of container. If ignited may expel flammable liquid for several feet. Vapor harmful. Skin, eye and respiratory tract irritant. Use with adequate ventilation. Avoid continuous breathing of vapor or spray mist. To avoid breathing vapors or spray mist, open windows and doors or use other means to ensure fresh air entry during application and drying. If you experience eye watering, headaches or dizziness, increase fresh air or wear respiratory protection (NIOSH/MSHA TC-23C or equivalent), or leave the area. In a confined area, vapors in high concentration are anesthetic. Overexposure may result in light headedness, staggering gait, giddiness and possible nausea.

An MSDS for this product is available through United's website, [www.unitedlabsinc.com](http://www.unitedlabsinc.com), providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.