

LABORATORIES

### **DIRECTIONS:**

**BOILER ADJUNCT** — Add enough **United 413** along with your normal steam boiler treatment program to maintain the total alkalinity in the range 500-700 ppm. See your United Laboratories Representative for exact use rates and compatability with other United Laboratories boiler treatment products.

ALKALINE BOILOUT — Add 4-6 gallons of **United 413** for every 100 gallons of boiler capacity. Fill the boiler to its normal operating water line and bring to a boil for at least 30 minutes. Flush thoroughly before returning to normal service and normal chemical treatment program.

Always rinse empty container with water to remove all chemical before discarding. Never transfer contents to unmarked package. Store out of reach of unauthorized personnel.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

HMIS® III CODE:	
0=MINIMAL 1=SLIGHT	
2=MODERATE	
3=SERIOUS 4=SEVERE	
PERSONAL	
PROTECTION INDEX:	
Gloves and Goggles	

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2
PERSONAL PROTECTION	n&p

### United 413

## Boiler Alkalinity Adjunct

KEEP OUT OF REACH OF CHILDREN.

DANGER-POISON

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

# AVOID BREATHING ANY FUMES, IF THEY OCCUR. CHEMICAL CAUSES SEVERE BURNS. KEEP OUT OF REACH OF CHILDREN. STORE IN

#### DANGER:

Contains Potassium Hydroxide (CAS# 1310-58-3). May be fatal if ingested. Wear skin and eye protection when using. Causes severe burns on contact with eyes or skin. Harmful to shoes and clothing.

## EMERGENCY AND FIRST AID PROCEDURES:

**EYES:** Immediately flush with large amounts of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Get medical attention immediately.

**SKIN:** Immediately wash contaminated areas with plenty of water for 15 minutes. Remove contaminated clothing and footwear and wash clothing before reuse. Get medical attention immediately.

**INHALATION:** Remove to fresh air; if breathing is difficult, have a trained person administer oxygen. If respiration stops, give CPR. Get medical attention.

**IF SWALLOWED:** DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Give large quantities of water. If available give several glasses of milk. Get medical attention immediately.

Printed in U.S.A.

A SAFE PLACE.