

LABORATORIES

Industrial, solvent-free, low VOC degreaser that removes black hydrocarbon material from hard surfaces:

IT'S WORTH ITS WEIGHT IN GOLD IT QUICKLY REMOVES THESE STAINS FROM HARD SURFACES:

- GREASE OIL TAR OXIDIZED WAX
- CARBONIZED AND BAKED-ON SOILS

GENERAL CLEANING:


- 1. For general light duty, use 3 to 5 ounces of product per gallon of water.
- 2. Apply the solution to the area to be cleaned. Scrub the area with a very firm bristled brush.
- 3. Rinse the cleaned area with water.
- 4. Do not let the product dry on the surface (to avoid surface damage). Use of this product on aluminum may damage the surface.

HEAVY DUTY HYDROCARBON CLEANING:

- 1. To remove heavy grease, oil, and hydrocarbon type stains use the product fully concentrated or add 10 to 12 ounces of product per gallon of water.
- 2. Apply **BLACK GOLD** to the area to be cleaned. Scrub the area vigorously with a very firm bristled brush.
- 3. Very heavy stains require the use of more BLACK GOLD or less dilute solutions, longer and harder vigorous scrubbing, and/or repeat treatment.
- 4. Rinse the cleaned area with water.
- Do not let the product dry on the surface (to avoid surface damage). Use of this product on aluminum may damage the surface.

Highly Concentrated and Not Intended for Consumer Household Use


DILUTION CHART: General Cleaning



1 Gallon Water

Heavy Cleaning 10 - 12 oz. **BLACK** GOLD

For Use With: Pressure Washers



Blend Centers

United 492

BLACK GOLD Industrial, Solvent-Free, Low VOC Degreaser

KEEP OUT OF REACH OF CHILDREN. **CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By: UNITED LABORATORIES, INC. 320 37th Avenue • St. Charles, IL 60174 1-800-323-2594 • www.unitedlabsinc.com

CAUTION:

Contains Potassium Hydroxide (CAS #1310-58-3), and Sodium metasilicate (CAS #6834-92-0). **DELIBERATE** INHALATION OF VAPORS CAN CAUSE DIZZINESS, HEADACHE OR NAUSEA. HARMFUL IF SWALLOWED. Eye and skin contact can cause severe burns.

EMERGENCY AND FIRST AID PROCEDURE:

EYES: Immediately flush with plenty of water for at least 15 minutes. Hold eyelids open during flushing. Call a physician or poison center immediately.

SKIN: Flush area with water while removing contaminated clothing. Follow by washing with soap and water. If irritation persists, call a physician or poison center.

INHALATION: Remove to fresh air. Apply artificial respiration if needed. If irritation persists, call a physician.

IF SWALLOWED: DO NOT induce vomiting. If conscious, drink large amounts of water and call a physician immediately.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

HMIS® III CODE: 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX: Gloves and Goggles	HEALTH	3
	FLAMMABILITY	0
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	n&p

Printed in U.S.A. 1205