
UNITED

LABORATORIES

- NON-CHLORINATED
- NO-HEXANE
- COLORLESS, ODORLESS AND STAINLESS, YET MORE SLIPPERY THAN SILICONE OILS.

DIRECTIONS:

Shake can vigorously, rattling agitator ball for at least 1 minute. Surface must be clean and dry. Hold container 5 to 10 inches (13 to 25 cm) from surface and spray a thin film on area.

Made with an extremely fine fluorotelomer powder with outstanding microscopic film forming properties. It is the perfect release agent because it provides very efficient lubrication without the dangers and inconveniences of oily silicones or messy graphite. It retains its lubricating power at extreme temperatures from minus 100°F (-73°C) to over 500°F (260°C), and resists flushing with water or solvents.

FOR FOOD USE: Avoid food contamination during use and storage. Do not use on food contact surfaces.

FOR SPECIALIZED USE:

It is designed for special commercial and industrial applications; works well on drawers, hinges, springs, pulleys, chain drives, plastics, rubber, metals, leather, wood, glass, paper and other smooth surfaces. Its applications are very numerous where machinery is used, or wherever a release agent is required. May be used as a high-efficiency mold release. It is more slippery than silicones or graphite, yet far more convenient to use in any application. Do not directly add to food in the application of the product.

DANGER: Contains Isoparaffinic Hydrocarbon (CAS # 64741-66-8), Heptanes (CAS # 426260-76-6), Isopropyl Alcohol (CAS # 67-63-0), Polytetrafluoroethylene (CAS # 9002-84-0), Liquefied Petroleum Gas (CAS # 68476-86-8).

FOR FOOD PLANT AND OTHER INDUSTRIAL USE.

Manufactured and Printed in U.S.A.

United 139

Dry Spray Lubricant and Release Agent

KEEP OUT OF REACH OF CHILDREN.
DANGER
EXTREMELY FLAMMABLE. VAPOR HARMFUL. CONTENTS UNDER PRESSURE.
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET WT. 10 oz. (283 g)

PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Sold By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

United 139 Dry Spray Lubricant and Release Agent

UNITED LABORATORIES OF CANADA, INC.
An MSDS for this product is available through United's website, www.unitedlabsinc.com providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product.

Un MSDS ce produit absent est disponible sur le site www.unitedlabsinc.com, fournir 24 heures accès. Aï tu s'il vous plaît le MSDS et soigneusement envoi de toutes instructions quand utiliser ou manipuler ce produit.



This product is an extremely flammable aerosol, it may explode if heated. Contents are under pressure. Contents may cause irritation to the eyes or skin. Harmful if inhaled. Harmful if swallowed.

PRECAUTIONS: Avoid contact with eyes, skin and clothing. Wear safety glasses and gloves when handling or using this product. Wash thoroughly after handling. Do not ingest. Do not use this product near flames or sources of ignition; provide adequate ventilation. Do not puncture or incinerate this container, even when empty. Do not store at temperatures over 49°C.

FIRST AID MEASURES: **EYES:** Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately. **SKIN:** Wash with soap and water. If irritation persists seek medical attention. **INHALATION:** Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration. **IF INGESTED:** Do not induce vomiting. Seek medical attention immediately.

Ce produit est un aérosol inflammable, il peut exploser s'il est chauffé. Le contenu est sous pression. Le contenu peut causer de l'irritation pour les yeux ou la peau. Nocif s'il est inhalé. Nocif en cas d'ingestion.

PRÉCAUTIONS: Éviter tout contact avec les yeux, la peau et les vêtements. Utiliser des gants, des lunettes pendant l'usage ou la manipulation de ce produit. Bien se laver après la manipulation n'ingérer pas. N'utilisez pas ce produit près des flammes ou près de sources d'ignition; pourvoyez une ventilation adéquate. Ne perforer et n'incinérez pas ce contenant, même lorsqu'il est vide. N'enreposer pas à des températures excédant 49°C.

SECOURISME MESURE: UN ŒIL: Encastre avec des grands montants de frais eau 15 fonctionnement au bas mot procès-verbal pendant que tenir supérieur et plus bas des couvercles ouvre. Obstiner d'énerver obtiennent immédiatement attention médicale. **PEAU:** Débarbouille avec du savon et l'eau. Obstiner d'énerver cherchent attention médicale. **L'INHALATION:** Enlève à un air fraîche. Cherche immédiatement attention médicale. Si respirer des arrêts donnent respiration artificielle. **SI AI INGURGITE:** Ne provoque pas vomir. Cherche immédiatement attention médicale.